

OMTP

Open Mobile Terminal Platform

OMTP

CODECS

DEFINITION AND REQUIREMENTS

This document contains information that is confidential and proprietary to OMTP Limited. The information may not be used, disclosed or reproduced without the prior written authorisation of OMTP Limited, and those so authorised may only use this information for the purpose consistent with the authorisation.

VERSION: OMTP CODECS 1_0, RELEASE 1

STATUS: SUBJECT TO BE - APPROVED BY BOARD 21 JULY 2005

DATE OF LAST EDIT: 6 JULY 2005

OWNER: P4: HARDWARE REQUIREMENTS AND DE-FRAGMENTATION

CONTENTS

1	INTRODUCTION	4
1.1	DOCUMENT PURPOSE	4
1.2	INTENDED AUDIENCE	5
2	DEFINITION OF TERMS	7
2.1	CONVENTIONS	7
3	OMTP CODEC PROFILES	8
3.1	AUDIO DECODE.....	8
3.2	AUDIO ENCODE.....	9
3.3	VIDEO DECODE.....	9
3.4	VIDEO ENCODE.....	9
3.5	IMAGE DECODE.....	10
3.6	IMAGE ENCODE.....	10
3.7	VECTOR DECODE.....	10
4	FUTURE VERSIONS	11
5	APPENDIX.....	12
5.1	USE CASES AND CODECS MAPPING.....	13
6	ABBREVIATIONS	14
7	REFERENCED DOCUMENTS	15

The information contained in this document represents the current view held by OMTP Ltd. on the issues discussed as of the date of publication.

This document is provided "as is" with no warranties whatsoever including any warranty of merchantability, non-infringement, or fitness for any particular purpose. All liability (including liability for infringement of any property rights) relating to the use of information in this document is disclaimed. No license, express or implied, to any intellectual property rights are granted herein.

This document is distributed for informational purposes only and is subject to change without notice. Readers should not design products based on this document.

"OMTP" is a registered trademark. Other product or company names mentioned herein may be the trademarks of their respective owners.

1 INTRODUCTION

This document represents the de-fragmentation and requirements developed for codecs within OMTP. It defines recommended classes of codecs for mobile terminals. Further classes will be added in future versions of the documents with the availability of the on-going technologies.

The reason for defining these classes is the large variety of codecs and characteristics available on mobile terminals, which results in the following potential issues:

1. The user experience of 'look & feel' is affected.
2. By making application developers and content providers address all the codecs paradigms, operational costs are increased.
3. The perceived quality of video services is heavily influenced by codec characteristics.
4. Business opportunities depend on bandwidth utilisation which, in turn, is determined by codec characteristics.

OMTP has addressed the codec de-fragmentation issue in order to:

1. Reduce the operational costs.
2. Improve user perception of the video services provided.
3. Make the specification of requirements for mobile terminals easier and more precise.
4. Reduce the NRE cost due to the re-engineering of applications and contents to support new terminals.

See 3 for some example cases.

1.1 DOCUMENT PURPOSE

This document has the general objective of helping to define the terminal requirements and allowing development and deployment of new services, as well as de-fragmenting the codecs capabilities onboard of terminals. Its scope is to guarantee consistency, quality and performance of video and audio services by:

- Definition of the audio and video capability of mobile terminals, in terms of the coding techniques supported.
- Ensuring the codec features suit both application and baseband processor capabilities.

The document focuses on:

- Voice codecs
- Audio codecs
- Video codecs
- Image codecs

In particular, the document concurs with the OMTP Main Objectives:

Facilitate Implementation of Open Mobile Terminal Platforms

- Work as appropriate to drive the development of specific mobile terminal platforms to meet OMTP requirements.
 - Influence the standardisation of relevant platforms.
 - Work with vendors of proprietary platforms to adopt OMTP requirements and/or resulting standards.
 - Understand the implementation roadmap and ensure conformance to OMTP requirements.

In particular, it addresses the hardware enablers through the production chain to facilitate OMTP terminal development.

Define De-fragmentation Guidelines

- De-fragmentation guidelines reduce costs (for both operators and manufacturers) and increase consistency by defining:
 - Hardware component parameters.
 - Software component parameters.
 - Performance guidelines and benchmarks.

1.2 INTENDED AUDIENCE

The document is intended to be used as reference in:

- Terminal requirements definition by operators.
- Platform and terminal characteristics definition.
- To refer to supported codecs in the definition of mobile terminal performance.

Some examples of usage follow:

Within terminal requirements: *“Codecs set: capable of supporting codecs defined in OMTP CDV1 (OMTP CODECS v1.0)”*.

Within hardware requirements for an application: *“The application requires codecs defined in OMTP CDV1, OMTP CDA1 and OMTP CDI0 (OMTP CODECS v1.0) to be able to run”*.

Within content database: *“The video is formatted to be viewed with a terminal capable of supporting codecs defined in OMTP CDV1 (OMTP CODECS v1.0)”*.

Within platform description: *“The platform can support codecs defined in OMTP CDA1 (OMTP CODECS v1.0)”*.

2 DEFINITION OF TERMS

This chapter contains the definition of terms used in this document.

2.1 CONVENTIONS

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119] (see [1] in 7).

- **MUST:** This word, or the terms "REQUIRED" or "SHALL", means that the definition is an absolute requirement of the specification.
- **MUST NOT:** This phrase, or the phrase "SHALL NOT", means that the definition is an absolute prohibition of the specification.
- **SHOULD:** This word, or the adjective "RECOMMENDED", means that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
- **SHOULD NOT:** This phrase, or the phrase "NOT RECOMMENDED" means that there may exist valid reasons in particular circumstances when the particular behaviour is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behaviour described with this label.
- **MAY:** This word, or the adjective "OPTIONAL", means that an item is truly optional. One vendor may choose to include the item because a particular marketplace requires it or because the vendor feels that it enhances the product while another vendor may omit the same item. An implementation which does not include a particular option **MUST** be prepared to interoperate with another implementation which does include the option, though perhaps with reduced functionality. In the same vein an implementation which does include a particular option **MUST** be prepared to interoperate with another implementation which does not include the option (except, of course, for the feature the option provides).

3 OMTP CODEC PROFILES

Five profiles are defined:

- OMTP CDA0 – Basic Audio
- OMTP CDA1 – Advanced Audio
- OMTP CDV0 – Basic Video
- OMTP CDV1 - Advanced Video
- OMTP CDI0 – Basic Imaging

The following table lists the required algorithms and standards for audio, video, image and vector graphics. (See Appendix 7 for example cases used for reference in this document.) A terminal entitled to be compliant with a certain profile SHALL support all the codecs with an ‘6’ in the respective column. The RECOMMENDED codecs are marked with an ‘R’.

3.1 AUDIO DECODE

CDA0	CDA1	CODEC	VARIANT
6	6	AMR-NB [1]	Adaptive Multi-Rate Narrowband
6	6	FR [2]	GSM Full Rate
6	6	HR [3]	GSM Half Rate
6	6	EFR [4]	GSM Enhanced Full Rate
6	6	MIDI [5]	Standard MIDI 1.0 formats 0&1
6	6	SP-MIDI [6]	Scalable Polyphonic MIDI
6	6	AAC [7]	MPEG4 AAC - Low complexity up to 48kHz, up to 2 channels, up to 96 kbps (AAC-LC)
	6	AMR-WB [16]	Adaptive Multi-Rate Wideband
	R	AMR-WB+ [17]	Extended Adaptive Multi-Rate Wideband
	6	E-AAC+ [19]	Enhanced AAC plus, MPEG-4 High Efficiency AAC, up to 48kHz, up to 2 channels, up to 64 kbps

3.2 AUDIO ENCODE

CDA0	CDA1	CODEC	VARIANT
6	6	AMR-NB [1]	Adaptive Multi-Rate Narrowband
6	6	FR [2]	GSM Full Rate
6	6	HR [3]	GSM Half Rate
6	6	EFR [4]	GSM Enhanced Full Rate
	6	AAC [7]	MPEG4 AAC - Low complexity up to 48kHz, up to 2 channels, up to 64 kbps (AAC-LC)
	6	AMR-WB [16]	Adaptive Multi-Rate Wideband

3.3 VIDEO DECODE

CDV0	CDV1	CODEC	VARIANT
6	6	H.263 0/10 [8]	H.263 Profile 0 Level 10
6	6	MPEG4 SP [9]	MPEG4 Simple Profile Level 0
	6	MPEG4 SP [9]	MPEG4 Simple Profile Level 0b
	6	H.264 BP/1b [18]	H264 baseline level 1b
	6	H.263 0/45 [8]	H.263 Profile 0 Level 45

3.4 VIDEO ENCODE

CDV0	CDV1	CODEC	VARIANT
6	6	H.263 0/10 [8]	Profile 0 Level 10
	6	H.264 BP/1b [18]	H.264 baseline level 1b
	6	H.263 0/45 [8]	H.263 Profile 0 Level 45

3.5 IMAGE DECODE

CDIO	CODEC	VARIANT
6	JPEG [10]	JPEG Baseline
6	GIF89a [12]	GIF89a - Animated GIF (includes 87a)
6	WBMP [13]	Wireless Bitmap
6	PNG [14]	Should support transparency

3.6 IMAGE ENCODE

CDIO	CODEC	VARIANT
6	JPEG [10]	JPEG Baseline

3.7 VECTOR DECODE

CDV1	CODEC	VARIANT
6	SVG-Tiny [15]	SVG Tiny Profile 1.1

4 FUTURE VERSIONS

OMTP will define additional combinations of audio/video codecs and define mandatory codecs for identified use cases in future specification releases in order to improve interoperability between open mobile terminal platforms.

5 APPENDIX

The following tables give an overview of possible use cases and codec combinations as an example, not defining implementation details.

The following tables are for information only. They are provided to indicate the correlation between codecs and use cases and to provide a reference for a particular combination of features.

#	USE CASE	REFERENCE
1	TELEPHONY VOICE CALL	3GPP TS 26.103 Rel6
2	2 WAY VIDEO CALL	3GPP TS 26.111 Rel6; 3GPP TS 26.235 Rel6
3	RINGTONES PLAYBACK	
4	MUSIC PLAYBACK FROM STORED FILES	3GPP TS 26.140 Rel6
5	MUSIC PLAYBACK, OTA STREAMING	3GPP TS 26.234 Rel6**
6	IMAGE VIEWING	3GPP TS 26.140 Rel6; OMA-MMS-Conf-v1_2
7	VECTOR GRAPHICS VIEWING	3GPP TS 26.140 Rel6 (on 2D vector graphics devices)
8	VIDEO PLAYBACK FROM STORED FILES	3GPP TS 26.140 Rel6
9	VIDEO PLAYBACK, OTA STREAMING	3GPP TS 26.234 Rel6; 3GPP TS 26.140 Rel6
10	CAPTURE STILL IMAGE	3GPP TS 26.140 Rel6
11	CAPTURE VIDEO	3GPP TS 26.140 Rel6
12	MUSIC/VOICE RECORDER	3GPP TS 26.140 Rel6

** Not for AAC+

5.1 USE CASES AND CODECS MAPPING

CODECS <i>USE CASES (D) = DECODE (E) = ENCODE (DE) = DECODE AND ENCODE</i>	TELEPHONY VOICE CALL	2 WAY VIDEO CALL	RINGTONES PLAYBACK	MUSIC PLAYBACK FROM STORED FILES	MUSIC PLAYBACK, OTA STREAMING	IMAGE VIEWING	VECTOR GRAPHICS VIEWING	VIDEO PLAYBACK FROM LOCAL FILES	VIDEO PLAYBACK, OTA STREAMING	CAPTURE STILL IMAGE	CAPTURE VIDEO	MUSIC OR VOICE RECORDER PLAYBACK
FR* (DE)	6											
EFR* (DE)	6											
HR* (DE)	6											
AMR-NB (DE)	6	6	6	6	6			6	6		6	6
MIDI (D)			6	6								
SP-MIDI (D)			6	6								
AAC (D)			6	6	6							
AMR-WB (D)		6	6	6	6							
AMR-WB+ (D)				R								
EAAC+ (D)**			6**	6**	6							
AMR-WB (E)		6										
AAC (E)												6
H263 0/10 (D)		6						6	6			
MPEG4 SP (DE)		6						6	6		6	
H263 0/10 (E)		6									6	
H263 0/45 (D)		6						6	6			
H264 BP/1b (D)		6						6	6			
H263 0/45 (E)		6									6	
H264 BP/1b (E)		6									6	
JPEG (D)						6						
GIF89a (D)						6						
WBMP (D)						6						
PNG (D)						6						
JPEG (E)										6		
SVG TINY (D)							6					

* For 2G services only ** Must also support AAC+ (D)

6 ABBREVIATIONS

Abbreviation	Description
3GPP	3 rd Generation Partnership Project
AAC	Advanced Audio Coding
AAC-LC	Advanced Audio Coding – Low Complexity
AMR	Adaptive Multi Rate
E-AAC+	Enhanced Advanced Audio Coding plus
EFR	Enhanced Full Rate
FR	Full Rate
GIF	Graphics Interchange Format
HR	Half Rate
IEC	International Electrotechnical Commission
IETF	Internet Engineering Task Force
ISO	International Standards Organisation
ITU-T	International Telecommunications Union – Telecommunication Standardisation Sector
JPEG	Joint Photographic Experts Group
MIDI	Musical Instrument Digital Interface
MPEG	Motion Picture Experts Group
NB	Narrowband
NRE	Non-recurring engineering charge
OMA	Open Mobile Alliance
OMTP	Open Mobile Terminal Platform
OTA	Over The Air
PNG	Portable Network Graphics
RFC	Request for comments
SP-MIDI	Scalable Polyphonic MIDI
SVG	Scaleable Vector Graphics
W3C	World Wide Web Consortium
WAP	Wireless Application Protocol
WB	Wideband
WBMP	Wireless Bitmap

7 REFERENCED DOCUMENTS

No.	DOCUMENT
[1]	3GPP TS 26.071: "AMR speech codec; General description.
[2]	3GPP TS 46.001: "Full rate speech; Processing functions".
[3]	3GPP TS 46.002: "Half rate speech; Half rate speech processing functions".
[4]	3GPP TS 46.051: "Enhanced Full Rate (EFR) speech processing functions; General description".
[5]	"Standard MIDI Files 1.0", RP-001, in "The Complete MIDI 1.0 Detailed Specification, Document Version 96.1" The MIDI Manufacturers Association, Los Angeles, CA, USA, February 1996.
[6]	Scalable Polyphony MIDI Specification, RP-34, MIDI Manufacturers Association. Scalable Polyphony MIDI Device 5-to-24 Note Profile for 3GPP, RP-35, MIDI Manufacturers Association.
[7]	MPEG4 AAC: ISO/IEC 14496-3:2001, "Information technology -- Coding of audio-visual objects -- Part 3: Audio".
[8]	ITU-T Recommendation H.263: "Video coding for low bit rate communication" 01/2005.
[9]	ISO/IEC 14496-2 (1999): "Information technology - Coding of audio-visual objects - Part 2: Visual". ISO/IEC 14496-2:1999/FDAM4, ISO/IEC JTC1/SC 29/WG11 N3904, Pisa, January, 2001.
[10]	ITU-T Recommendation T.81: "Information technology: Digital compression and coding of continuous-tone still images: Requirements and guidelines". "JPEG File Interchange Format", Version 1.02, September 1, 1992.
[11]	CompuServe Incorporated: "GIF Graphics Interchange Format: A Standard defining a mechanism for the storage and transmission of raster-based graphics information", Columbus, OH, USA, 1987.
[12]	CompuServe Incorporated, Columbus, Ohio (1990): "Graphics Interchange Format (Version 89a)".
[13]	WAP-237-WAEMT-20010515-a: "Wireless Application Environment Defined Media Type Specification"
[14]	IETF RFC 2083: "PNG (Portable Networks Graphics) Specification version 1.0 ", T. Boutell, et. al., March 1997.

No.	DOCUMENT
[15]	W3C Working Draft: "Scalable Vector Graphics (SVG)". W3C Working Draft: "Mobile SVG Profiles: SVG Tiny and SVG Basic" 3GPP 22.140: "Service Aspects; Stage 1; Multimedia Messaging Service".
[16]	3GPP TS 26.171: "Speech codec speech processing functions; Adaptive Multi-Rate – Wideband (AMR-WB) speech codec; General description"
[17]	3GPP TS 26.290: "Audio codec processing functions; Extended Adaptive Multi-Rate - Wideband (AMR-WB+) codec; Transcoding functions".
[18]	ITU-T Recommendation H.264: "Advanced video coding for generic audiovisual services" 03/05.
[19]	3GPP TS 26.401: "General audio codec audio processing functions; Enhanced AAC plus general audio codec; General description".